SYNCRO / SYLVA SERIES



Welcome to Osprey. We pride ourselves on creating the most functional, durable and innovative carrying products for your adventures. Please refer to this owner's manual for information on product features, use, maintenance, customer service and warranty.



osprey.com

OWNER'S MANUAL

OVERVIEW



FEATURES

SHARED

- 1 Front stretch mesh pocket
- 2 Scratch-free, heat-embossed zippered slash pocket
- 3 LidLock helmet carry
- 4 Blinker light attachment
- 5 Integrated, removable high-visibility raincover
- 6 Magnetic sternum strap for quick access to reservoir bite valve
- 7 Zippered tool organization pocket
- + Dedicated reservoir compartment with Hydraulics® LT 2.5L reservoir included

FABRIC

- MAIN 100D Nylon Honeycomb
- ACCENT 100D Nylon Honeycomb
- BOTTOM 100D Nylon Honeycomb



OVERVIEW



SYNCRO 20

 SPECS
 ONE SIZE

 Cubic Inches
 1220

 Liters
 20

 Pounds*
 1.95

 Kilograms*
 0.89

 Inches
 19h x 10w x 11d

 Centimeters
 48h x 27w x 27d



UNIQUE FEATURES

- 1 Zippered hipbelt pockets
- 2 Dual stretch mesh side pockets
- 3 Dual upper and lower side compression straps

SYNCRO 12

SPECS	ONE SIZE
Cubic Inches	732
Liters	12
Pounds*	1.72
Kilograms*	0.78
Inches	18h x 10w x 9d
Centimeters	46h x 27w x 23d



UNIQUE FEATURES

- 1 Dual stretch mesh side pockets
- 2 Dual upper and lower side compression straps

SYLVA 12	
SPECS	ONE SIZE
Cubic Inches	732
Liters	12
Pounds*	1.63
Kilograms*	0.74
Inches	17h x 10w x 9d
Centimeters	43h x 27w x 22d



SYNCRO 5

SPECS	ONE SIZE
Cubic Inches	305
Liters	5
Pounds*	1.31
Kilograms*	0.60
Inches	18h x 10w x 7d
Centimeters	45h x 27w x 17d



SYLVA 5	
SPECS	ONE SIZE
Cubic Inches	305
Liters	5
Pounds*	1.26
Kilograms*	0.57
Inches	16h x 10w x 7d
Centimeters	40h x 27w x 17d



* Pack weight does not include reservoir

CARRY



CARRY

1 AIRSPEED SUSPENSION

+ Peripheral LightWire frame creates a platform for a contoured, tensioned mesh backpanel

2 AIRSPEED BACKPANEL

+ 3D-tensioned, breathable mesh backpanel provides extreme ventilation with a comfortable fit

3 BIOSTRETCH HARNESS

- + Bike-specific shoulder strap shape provides comfort and stability
- + Soft, breathable spacermesh contact surfaces and die-cut foam ventilation

4 HIPBELT

- + Padded spacermesh hipwings with webbing ErgoPull waist strap provides comfort and stability (12L / 5L)
- Airmesh wrap hipbelt with zippered pockets provide stability and breathability [20L]



SIZING / FIT

SYNCRO - MEN'S

TORSO 0/S 17-21" / 43-53 cm

SYLVA - WOMEN'S

TORSO 0/S 14-18" / 35.5-46 cm

WOMEN'S-SPECIFIC FIT

- + Narrower and shorter torso length
- + Narrower, shorter harness with curves designed to accommodate most women's necks, shoulders and chests.

FIT



BACKPANEL

The backpanel and harness straps should wrap fully around your shoulders with no gaps between the pack and your back.



HARNESS The padded part of the harness straps should end 1"/2.5 cm - 2"/5 cm below the armpits.



STERNUM STRAP The sternum strap adjusted to approximately 2"/5 cm below the collarbone.









RESERVOIR SLEEVE

20L/12L/5L

The dedicated reservoir sleeve is compatible with reservoirs up to 3L.

- + An internal hanging loop with buckle ensures proper vertical orientation and stability
- + The backpanel hydration exit port is centered, allowing routing to the right or left side of the harness
- + Elasticized routing straps on the pack's harness hold the reservoir hose in place

For more information on Osprey's full line of reservoirs and reservoir care, visit osprey.com.



RESERVOIR BITE VALVE MAGNET 20L / 12L / 5L The sternum strap magnet allows for quick access to the reservoir bite valve.





INTEGRATED RAINCOVER

20L/12L/5L

The integrated, removable high visibility raincover provides pack protection in adverse conditions and a safety feature when traveling on roads.

- 1 Locate the raincover icon and unzip the raincover compartment.
- 2 Pull the raincover from the compartment and slip it over the top and bottom of pack using the peripheral elastic to hold it in place.
- 3 Reverse this process to return raincover to compartment.
- 4 To remove the raincover altogether, unfasten the toggle from the cord loop and remove.

Note: To prevent mildew, allow the raincover to dry entirely before storing.






LIDLOCK HELMET ATTACHMENT 20L/12L/5L

Osprey's LidLock easily and securely carries a bicycle helmet.

- 1 Locate the LidLock helmet attachment clip near the top of the pack's front panel and pull away from the pack.
- 2 In the vertical position, pass LidLock through helmet vent from the bottom and engage in horizontal position.
- 3 Inside the pack's front slash pocket is a cord loop to increase or decrease the LidLock's tension.

FEATURE DETAILS



Organization for essentials and pocketing sized for bike-specific tools and gear.



DUAL STRETCH MESH SIDE POCKETS 20L / 12L For quickly stashing gear.

OSPREV



BLINKER LIGHT ATTACHMENT 20L / 12L / 5L Blinker light attachment and reflective patch for safety.



DUAL UPPER AND LOWER COMPRESSION STRAPS 20L / 12L Quick-release compression straps allow for pack compression for added stability.



SCRATCH-FREE SLASH POCKET 20L / 12L / 5L Scratch-free, heat-embossed zippered slash pocket for sunglasses or electronics.



ZIPPERED HIPBELT POCKETS 20L On-trail access for small items.



FRONT STRETCH MESH POCKET 20L / 12L / 5L For quickly stashing gear.